PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:

G06F 17/30

A1

(11) International Publication Number: WO 99/42933

(43) International Publication Date: 26 August 1999 (26.08.99)

(21) International Application Number: PCT/IB99/00240

(22) International Filing Date: 11 February 1999 (11.02.99)

(30) Priority Data: 09/025,376 18 February 1998 (18.02.98) US

(71) Applicant: KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven

(71) Applicant (for SE only): PHILIPS AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE).

(72) Inventors: BAR-GADDA, Uzi; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). WONG, Stephen; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). YU, James, Y-P.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

(74) Agent: COHEN, Julius, S.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).


(81) Designated States: CN, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: INDEXING AND WEB-TECHNOLOGIES CONTROL INTERACTING WITH DATABASE



(57) Abstract

Multiple users interact through a medical electronic records database system. A first user sends to a second user an electronic notification having a pointer to a record. The notification is being delivered through push technology. The second user uses the pointer to retrieve the record through pull technology. The notification is being indexed in the database system as related to the record. The users can personalize the modality of the push and pull technologies.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France .	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	. MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	Tj	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Стеесе		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia _	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT.	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
Cυ	Cuba	ΚZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	ш	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EB	Estonia	LR	Liberia	SG	Singapore		

Indexing and web-technologies control interacting with database.

FIELD OF THE INVENTION

The invention relates to a method for accessing, through a client-server architecture, multimedia data distributed across heterogeneous databases. The invention relates in particular to such a method within an electronic medical record (EMR) environment.

5

10

15

20

BACKGROUND ART

The ongoing development in the medical fields of diagnostics and therapy has led to an ever increasing number of techniques, and to dramatic changes in the delivery of health care and in the payment for health care services. Medical documents have become inherently multimedia, ranging from structured written reports and free text to non-alphanumeric data such as medical images, video streams, physiologic monitoring signals, voice dictation and graphics. The result of all this is that the complexity of managed care and of patient information has expanded greatly. Paper- and film-based recording systems and isolated, individual departmental information managing systems seem to have reached the point that they are no longer adequate in meeting the needs of integrated care.

OBJECT OF THE INVENTION

Hospitals and care provider organizations need a new information model to communicate, distribute, and manage correlated patient information items in an efficient and cost-effective manner, while maintaining or even improving the quality of care. Therefore, it is an object of the invention to provide a method of managing interaction with electronic record databases.

SUMMARY OF THE INVENTION

25

To this end, the invention provides a method of interacting between multiple users through an electronic records database system. A first user sends to a second user an electronic notification having a pointer to a record. The notification is being delivered through a push technology. The second user uses the pointer to retrieve the record through a pull technology. The notification is being indexed in the database as related to the record. If the

first user sends an electronic message in response to the notification, to e.g., a third user, the message is indexed in the database as related to the record. Preferably, the notification is customized according to a specification by the second user with regard to a modality of reception by the second user, the specification having been stored in the database. The modality may relate to, e.g., electronic receiving equipment of the second user, or to a temporal relevance of the notification.

5

10

15

20

25

30

The invention is based on the following insights. The World Wide Web (or the Web) is the vast collection of electronic information resources accessible on the Internet through a client-server architecture. A client-server computer architecture is an information processing system with a server computer that enables processing power, data files and program files to be shared among multiple client computers interconnected to the server through a network. The Web is interacted with typically using a pull technology. The term "pull technology" refers to the mode of interaction according to which the user clicks the links on the Web to request the server to send information. That is, the user has to request for each piece of information that he/she needs to access, typically after querying the Web. Browsing the Web and using bookmarks are examples of the pull model. On the other hand, "pushtechnology" is data distribution according to which selected data is delivered automatically to the user's computer. This type of delivery is also referred to as "webcasting". Delivery of data can be at prescribed intervals or can be based on some prescribed events. An example of pushtechnology is PointCast, which is an Internet service for periodically pushing selected news and stock quotes into a subscriber's machine. Marimba's Castanet provides a push delivery for updating applications as well as distributing publishing content.

The invention now combines push-technology and pull-technology and automatic indexing services in a single architecture. The architecture creates an efficient procedure to manage and access the large numbers of records distributed among multiple locations and available in a variety of formats on a web-based networked system. The messaging between users is automatically indexed to keep the database up to date. For relevant Web-related technologies, especially as applied to the medical environment, see for example, U.S. patent applications Ser. No's 08/785,459 (PHA 23,217 [personalizing intranet websites]); 08/871,035

(PHA 23,255 [biometrics]); and 08/924,867 (PHA 23,273 [authentication & security]), incorporated herein by reference.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is explained by way of example and with reference to the accompanying drawings, wherein:

Fig. 1 is a block diagram of a system architecture in the invention; Fig. 2 is a workflow diagram illustrating the messaging procedure in the system.

Throughout the figures, same reference numerals indicate similar or corresponding features.

10 PREFERRED EMBODIMENTS

5

15

20

25

An example of a field of application in the invention relates to medical records. The current trend in managing electronic medical records is towards distribution across networked information systems, especially as driven by the Integrated Delivery Network (IDN) in the healthcare industry. Tracking of the records becomes one of the largest overheads in the medical environment. Due to the huge amount of data including audio, video, graphics images and text reports, some or all involving mission critical criteria, current pushing technology is not appropriate. According to the invention, by using the Web-based technologies the medical specialist can subscribe to receipt of the required data. The indexing to those data is organized and pushed to those subscribers whenever it is available. The subscribers can set the criteria on the relevance of the data. The subscribers are notified by this system when the deadline to deliver the data has passed because of the unavailability of the data. The subscribers can be notified according to their preferences listed in a user personalization profile. More specifically, the user can personalize the way wherein he or she interacts with the system through push technology and pull technology. For example, the user can specify what information is to be received, how to get the information (pager, email, voice, etc.). This is illustrated below.

Block diagram

Fig. 1 is a block diagram of a system 100 according to the invention. System

100 supports automatic notification and indexing services of patient records and consultation
notes. In case of an event that needs attention from clinical personnel, system 100 notifies one
or more specific users through push technology, for example, by means of selective
transmission of emails that have pointers to relevant pages of medical records accessible on
the Web. The specific user can then pull the medical records by clicking the pointers. To this

5

10

15

20

25

30

end, system 100 comprises client devices, e.g., devices 102 and 104, server equipment 106 and databases 108, 110 and 112. Devices 102-104 communicate with databases 108-112 via server equipment 106. Server equipment 106 has a Web server (WS) 114 and an application server (AS) 116. Web server 114 is a computer running a server program whose sole purpose is to serve document data to a client computer, such as device 102 or 104, in response to receiving a request for that document. Application server 116 is a computer that provides access to application software. An action specified at client device 102 or 104 can run an application on application server 116. Devices 102-104 comprise Web browsers 118 and 120, respectively, each with an appropriate GUI. Devices 102-104 comprise, for example, a desktop PC, a palmtop PC, a PDA, a wireless device, a set-top box, or any other device with Web browser capability, a pager, or a telephone answering machine. Database 108 comprises a personalization database (P-DB) that contains the user preferences and access privilege information as explained below. Database 110 comprises one or more clinical databases (C-DB) that store patient records and images. Database 112 comprises an indexed mail database IM-DB that contains formatted email messages and indices (pointers, links) to large, relevant patient data and images referred to in the email messages and archived in clinical database 110.

Application server 116 automatically keeps track of the events in databases 108-112, e.g., update of medical records of specific patient. Server 116 notifies the involved clinicians with email messages (i.e. through push technology) that comprise embedded links or pointers to large patient data files in database 110 (i.e., retrievable through pull technology). Besides using emails for notification, application server 116 can also page or make a telephone call to the relevant users. The pager numbers and telephone numbers of the users are stored in personalization database 108. A simple memo in the form of an alphanumeric message can be sent to the receiver's pager along with source contact information, such as the phone number of pager number of another clinician. For voice messaging, application server 116 synthesizes a voice by translating textual messages into audio signals and dials the telephone numbers of the relevant receivers. Which way for notification is being used is, in this example, user-dependent and can be specified in advance by storing user-preferences in personalization database 108.

Workflow procedure

5.

1.0

15

20

25

30

Operation of system 100 is illustrated below with reference to Fig.2, discussing the procedural steps of electronic communication of personalized medical records for a clinical consultation.

In step 202 an email message is constructed. For example, a patient consults a physician and after the patient encounter, the physician sends one or more email messages to one or more specific clinicians, e.g., a specialist and a nurse. The email relates to multimedia data, including graphics, audio and video. Such an email message contains a first part and a second part. The first part has a clinical statement on the patient and contains one or more links to be clicked on to retrieve relevant patient data stored in database 110. The second part lists action items requested by the referring physician. For example, the clinical statement of the email message contains observation data resulting from the consult and, in addition, a request for an X-ray study on the patient and pointers to previous X-ray reports and images of the patient relevant to the case. An action item is for receipt by a referred radiologist to perform an X-ray study on the patient and requests to send a diagnosis immediately back to the referring physician for prognosis.

In step 204 the email message is delivered to the referred clinicians. There are a variety of ways to deliver the message, depending on, for example, the urgence of the case. First, the referring clinician can request system 100 to page the receiver once the message has been sent. Second, the referring clinician can specify the time to page the receiver before the occurrence of a certain event. For example, two hours before a scheduled surgery on the patient the radiologist would like to ensure the surgeon to read the diagnostic interpretation of the latest MRI study performed on that patient. Third, the referring physician simply sends the message without any specified period of notification, as in typical email use. On the other hand, a clinician can specify in personalization database 108 how long before a certain event he or she would like to be notified.

In step 206 the email message is received and relevant data is retrieved. The referred clinician receives the email message, studies the attached observations and clicks on the relevant links in order to retrieve patient data of interest for review, e.g., previous diagnostic reports of the patient's X-ray studies. The referred clinician then responds to the request of the referring physician, e.g., by interpreting the results of the latest X-ray study on the patient. The formal report can be updated in database 110 using existing procedures for hospital information systems. However, for fast response and additional comments outside the formal reporting structure, the referred clinician can append summaries or comments of the

WO 99/42933 PCT/IB99/00240

study to the initiator's email and forward them to the initiator and to other relevant parties. Email database 112 keeps an audit trail of such messages.

In step 208, a message folder reply (RPL) is created and forwarded. The referred clinician composes the reply message with links to new of other relevant patient records in system 100 and delivers the message to the referring physician or forwards the message to the next care provider for the patient in this particular encounter according to procedural step 204.

GUI for Web Browser

5

The Table presents a view of a GUI for a Web browser for display on a Webenabled device 102, such as desktop PC, a palmtop PC, e.g., the Velo-1 of Philips Electronics, or a digital TV screen.

Web Browser Date From Subject Action Thu Jul 31 14:35 97 Lilly Hoffman Need to look at the View Modality possibility of surgery Wed Jul 30 15:15 97 Bill Smith An abnormal tumer, View Modality need pathology exam Wed Jul 30 10:5 97 James Brown Please look at this View Modality case Reply New Delete Audio Video **MB** Dr. Tim Grace, A surgery applied to this patient will remove the abnormal tumor. (From Dr. Lilly Hoffman). Please schedule the patient to talk to me about the detail. ORIGINAL MESSAGE Dr. Lilly Hoffman, Please look at this case and plan a surgery for this patient. (From Dr. Tim Grace) ORIGINAL MESSAGE Dr. Bill Smith, please do a pathology exam. (From Dr. Tim Grace) ORIGINAL MESSAGE There is an abnormal tumor, need pathology exam. (From Dr. James Brown) ORIGINAL MESSAGE Please do X ray examination on this patient to see if there exists any tumor. (Request from original physician, Dr. Tim Grace)

GUI has fields with labels "Date", "From", "Subject", and "Action", respectively. The Date Field indicates the date and time on which a specific email was sent. The From-Field indicates the name of the sender of the email. The Subject-Field contains the subject of the email. When the user clicks on the underlined subject, GUI shows the email message in a message box MB. The Action-Field contains the underlined pointer to pull relevant patient records from database 110, including diagnosis reports and images. When the user clicks on the pointer, the related reports and images are retrieved from database 110 and are presented to the user through a Web browser application or Java-based applets.

5

10

15

20

GUI has also buttons, labeled "Reply", "New", "Delete", "Audio" and "Video", respectively. When button is clicked, the original message in the image box is attached to a reply message that the user can enter and send to other users. When the New-button is clicked, the message in the message box is cleared, and the user can enter a new message and specify subject and receiver. The link to the current patient case, which the user is looking at, is attached as the "Action" message. When the Delete-button is clicked the currently selected (i.e., viewed) message is deleted and the next message on the list is retrieved and shown in the message box. When the user clicks on the Audio-button, a new message will be created by recording the dictation from the user, employing a suitable speech-to-text conversion program, or the audio message is stored and forwarded as an audio message (i.e., without using speech-to-text conversion). When the Video-button is clicked, the user is enabled to record his/her video and/or audio data to be sent to the receiver.

PCT/IB99/00240 WO 99/42933 9

CLAIMS:

- A method of interacting between multiple users through an electronic records 1. database system, wherein:
- a first user sends to a second user an electronic notification having a pointer to a record,
- the notification is being delivered through a push technology;
- the second user uses the pointer to retrieve the record through a pull technology; and 5
 - the notification is being indexed in the database system as related to the record.
 - 2. The method of claim 1, wherein:
 - the first user sends an electronic message in response to the notification; and
- the message is indexed in the database system as related to the record. 10
 - 3. The method of claim 1, wherein
 - the interacting is personalized according to a specification by the second user with regard to a modality of reception by the second user; and
- the specification has been stored in the database system. 15
 - The method of claim 3, wherein the modality relates to a capability of 4. electronic receiving equipment of the second user.
- The method of claim 3, wherein the modality relates to a temporal relevance of 20 5. the notification.
 - A method of enabling multiple users to interact through an electronic 6. multimedia records database system, the method comprising:
- 25 enabling a first user to send to a second user an electronic notification having a pointer to a record,
 - enabling the notification to be delivered through a push technology;
 - enabling the second user to use the pointer for retrieval of the record through a pull technology; and

WO 99/42933 PCT/IB99/00240

enabling the notification to be indexed in the database system as related to the record.




FIG. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 99/00240

			<u></u>					
A. CLASS	IFICATION OF SUBJECT MATTER							
IPC6: G06F 17/30 According to International Patent Classification (IPC) or to both national classification and IPC								
	S SEARCHED							
Minimum do	ocumentation searched (classification system followed by	classification symbols)						
IPC6: G	606F							
Documentat	ion searched other than minimum documentation to the	extent that such documents are included in	the fields searched					
SE,DK,F	I,NO classes as above							
Electronic da	ata base consulted during the international search (name	of data base and, where practicable, search	terms used)					
c. Docu	C. DOCUMENTS CONSIDERED TO BE RELEVANT							
Category*	Gtation of document, with indication, where app	ropriate, of the relevant passages	Relevant to claim No.					
A	WO 9631826 A1 (HIGLEY, THOMAS, K 10 October 1996 (10.10.96), line 5 - line 17; page 8, li	page 5,	1					
	line 11, claim 1							
Р,А	EP 0849689 A2 (SONY CORPORATION) (24.06.98), abstract	1						
P,A	JP 11015716 A (TSUTSUMITAKE HIDE 22 January 1999 (22.01.99),	YUKI), abstract	1-6					
		,						
Further documents are listed in the continuation of Box C. X See patent family annex.								
* Special categories of cited documents: "I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention								
"E" erlier document but published on or after the international filing date "X" document of particular relevance: the claimed invention cannot be								
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance: the claimed invention								
means	ent referring to an oral disclosure, use, exhibition or other	considered to involve an inventive ste- combined with one or more other such being obvious to a person skilled in the	o when the document is a documents, such combination					
	ent published prior to the international filing date but later than ority date claimed	"&" document member of the same patent family						
Date of th	e actual completion of the international search	Date of mailing of the international	search report					
2 Augu	st 1999	0 5 -08- 1999						
Name and	I mailing address of the ISA/	Authorized officer						
	Patent Office i, S-102 42 STOCKHOLM	Jaana Raivio/MN						
	No. +46 8 666 02 86	Telephone No. + 46 8 782 25 181						

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

	Information on patent family members		01/07/99 Patent family member(s)		PCT/IE	3 99/00240	
Patent document cited in search report		Publication date				Publication date	
WO	9631826	A1	10/10/96	CA US	2250853 5790793	A A	10/10/96 04/08/98
EP	0849689	A2	24/06/98	JP	10177600	Α ,	30/06/98
JP	11015716	A	22/01/99	NON	E		
•							
					•		